


# Query-by-Example (QBE)

## Chapter 6

Example is the school of mankind,  
and they will learn at no other.  
-- Edmund Burke (1729-1797)


Database Management Systems, R. Ramakrishnan and J. Gehrke 1



## QBE: Intro

- v A "GUI" for expressing queries.
  - Based on the Domain Relational Calculus (DRC)
  - Actually invented before GUIs.
  - Very convenient for simple queries.
  - Awkward for complex queries.
- v QBE an IBM trademark.
  - But has influenced many projects
  - Especially PC Databases: Paradox, Access, etc.

Database Management Systems, R. Ramakrishnan and J. Gehrke 2



## 'Example Tables' in QBE


- v Users specify a query by filling in *example tables*, or *skeletons*; we will use these skeletons in our examples.

Reserves	sid	bid	day

Boats	bid	bname	color

Sailors	sid	sname	rating	age

Database Management Systems, R. Ramakrishnan and J. Gehrke 3




## Basics

- v To print names and ages of all sailors:
 

Sailors	sid	sname	rating	age
	P._N			P._A
- v Print all fields for sailors with *rating* > 8, in ascending order by (*rating*, *age*):
 

Sailors	sid	sname	rating	age
P.			AO(1). >8	AO(2).
- v QBE puts unique new variables in blank columns. Above query in DRC (no ordering):
 
$$\{(I, N, T, A) \mid \langle I, N, T, A \rangle \in \text{Sailors} \wedge T > 8\}$$

Database Management Systems, R. Ramakrishnan and J. Gehrke 4



## And/Or Queries

Note: MiniQBE uses a slightly different syntax!


- v Names of sailors younger than 30 *or* older than 20:
 

Sailors	sid	sname	rating	age
		P.		< 30
		P.		> 20
- v Names of sailors younger than 30 *and* older than 20:
 

Sailors	sid	sname	rating	age
	_Id	P.		< 30
	_Id	P.		> 20
- v Names of sailors younger than 30 *and* rating > 4:
 

Sailors	sid	sname	rating	age
	_Id	P.	> 4	< 30

Database Management Systems, R. Ramakrishnan and J. Gehrke 5



## Duplicates

- v *Single row with P*: Duplicates not eliminated by default; can force elimination by using UNQ.
 

Sailors	sid	sname	rating	age
UNQ.		P.		< 30
- v *Multiple rows with P*: Duplicates eliminated by default! Can avoid elimination by using ALL.
 

Sailors	sid	sname	rating	age
ALL.	_Id	P.		< 30
	_Id	P.		> 20

Database Management Systems, R. Ramakrishnan and J. Gehrke 6

## Join Queries

- Names of sailors who've reserved a boat for 8/24/96 and are older than 25 (note that dates and strings with blanks/special chars are quoted):

Sailors	sid	sname	rating	age
	_Id	P._S		> 25

Reserves	sid	bid	day
	_Id		'8/24/96'

Note:  
MiniQBE  
uses  
double  
quotes

- Joins accomplished by repeating variables.

## Join Queries (Contd.)

- Colors of boats reserved by sailors who've reserved a boat for 8/24/96 and are older than 25 :

Sailors	sid	sname	rating	age
	_Id	_S		> 25

Reserves	sid	bid	day
	_Id	_B	'8/24/96'

Boats	bid	bname	color
	_B	'Interlake'	P.

## Join Queries (Contd.)

- Names and ages of sailors who've reserved some boat that is also reserved by the sailor with  $sid = 22$ :

Sailors	sid	sname	rating	age
	_Id	P.		P.

Reserves	sid	bid	day
	22	_B	
	_Id	_B	

## Unnamed Columns

MiniQBE allows  
P. in multiple tables

- Useful if we want to print the result of an expression, or print fields from 2 or more relations.
  - QBE allows P. to appear in at most one table!

Sailors	sid	sname	rating	age
	_Id	P.	_R	_A
		P._D	P.(_R/_A)	

Reserves	sid	bid	day
	_Id		_D

## "Negative Tables"

- Can place a negation marker in the relation column:

Sailors	sid	sname	rating	age
	_Id	P._S		

Reserves	sid	bid	day
	¬	_Id	_B

Note:  
MiniQBE  
uses NOT  
or ~.

- Variables appearing in a negated table must also appear in a positive table!

## Aggregates

- QBE supports AVG, COUNT, MIN, MAX, SUM
  - None of these eliminate duplicates, except COUNT
  - Also have AVG.UNQ. etc. to force duplicate elimination

Sailors	sid	sname	rating	age
	_Id	G.	G.P.AO	_A
			P.AVG._A	

- The columns with G. are the *group-by* fields; all tuples in a group have the same values in these fields.
  - The (optional) use of .AO orders the answers.
  - Every column with P. must include G. or an aggregate operator.

### Conditions Box

- Used to express conditions involving 2 or more columns, e.g.,  $\_R/\_A > 0.2$ .
- Can express a condition that involves a group, similar to the HAVING clause in SQL:

Sailors	sid	sname	rating	age	CONDITIONS
		G.P.		$\_A$	$\text{AVG.}\_A > 30$

- Express conditions involving AND and OR:

Sailors	sid	sname	rating	age	CONDITIONS
		P.		$\_A$	$20 < \_A \text{ AND } \_A < 30$

### Find sailors who've reserved all boats

- A division query; need aggregates (or update operations, as we will see later) to do this in QBE.

Sailors	sid	sname	rating	age	CONDITIONS
		P.G.		$\_Id$	

Reserves	sid	bid	day	CONDITIONS
	$\_Id$	$\_B1$		$\text{COUNT.}\_B1 = \text{COUNT.}\_B2$

Boats	bid	bname	color
	$\_B2$		

- How can we modify this query to print the names of sailors who've reserved all boats?

### Inserting Tuples

- Single-tuple insertion:

Sailors	sid	sname	rating	age
I.	74	Janice	7	14

- Inserting multiple tuples (*rating* is null in tuples inserted below):

Sailors	sid	sname	rating	age	CONDITIONS
I.	$\_Id$	$\_N$		$\_A$	$\_A > 18 \text{ OR}$
Students	$\_Id$	$\_N$		$\_A$	$\_N \text{ LIKE 'C%'}$

### Delete and Update

- Delete all reservations for sailors with *rating* < 4

Sailors	sid	sname	rating	age
	$\_Id$		< 4	

Reserves	sid	bid	day
D.	$\_Id$		

- Increment the age of the sailor with *sid* = 74

Sailors	sid	sname	rating	age
	74			$\text{U.}\_A + 1$

### Restrictions on Update Commands

- Cannot mix I, D, and U. in a single example table, or combine them with P. or G.
- Cannot insert, update or modify tuples using values from fields of other tuples in the same table. Example of an update that violates this rule:

Sailors	sid	sname	rating	age
		john		$\_A$
		joe		$\text{U.}\_A + 1$

Should we update every Joe's age?  
Which John's age should we use?

### Find sailors who've reserved all boats (Again!)

- We want to find sailors  $\_Id$  such that there is no boat  $\_B$  that is not reserved by  $\_Id$ :

Sailors	sid	sname	rating	age
	$\_Id$	P. $\_S$		

Boats	bid	bname	color	Reserves	sid	bid	day
	$\_B$				$\_Id$	$\_B$	

- Illegal query! Variable  $\_B$  does not appear in a positive row. In what order should the two negative rows be considered? (Meaning changes!)

## A Solution Using Views

- Find sailors who've not reserved some boat \_B:


Sailors	sid	sname	rating	age	BadSids	sid
	<u>_Id</u>	P_S			I.	<u>_Id</u>

Boats	bid	bname	color	Reserves	sid	bid	day
	<u>_B</u>			⌞	<u>_Id</u>	<u>_B</u>	

- Next, find sailors not in this 'bad' set:

Sailors	sid	sname	rating	age	BadSids	sid
	<u>_Id</u>	P_S			⌞	<u>_Id</u>

## A Peek at MS Access



## Summary

- QBE is an elegant, user-friendly query language based on DRC.
- It is quite expressive (relationally complete, if the update features are taken into account).
- Simple queries are especially easy to write in QBE, and there is a minimum of syntax to learn.
- Has influenced the graphical query facilities offered in many products, including Borland's Paradox and Microsoft's Access.